

NOTE XXVII.

ALPHABETICAL LIST OF THE DESCRIBED SPECIES
OF THE LONGICORN GENUS BATOCERA, CAST.
WITH INDICATION OF THE SYNONYMS ¹⁾.

BY

C. RITSEMA Cz.

- Adelpha* Thoms. — E. India.
- Aeneonigra* Thoms. — Ternate, Halmaheira, Morty, Wai-
giou.
- Ajar* (Dej.) Thoms. — Java, Banka, Celebes.
- (*Albertiana* Thoms. — Gaboon) = *Wyliei* Chevr. — Old
Calabar.
- Albofasciata* de Geer. — E. India, E. I. Archipelago.
- Ammon* Pasc. — Amboyna probably = *Armata* Oliv.
- Andamana* Thoms. — Andaman islands. — *Revue et Mag.*
de Zool. 1878. p. 54.
- Aphetor* Newm. — Philippine islands will probably
prove to belong to the genus *Apriona* Chevr.
- Armata* Oliv. — Amboyna, Ceram, Aru islands, Celebes.
(*Attila* Pasc. — Sumatra) = *Helena* Thoms. — Siam (teste
van Lansberge).
- Boisdurali* Hope. — Australia.
- Browni* Bates. — Duke-of-York island, N. Australia. —
Proc. Zool. Soc. Lond. 1877. p. 157; tab. 25, fig. 1.

1) The synonyms are in *parenthesis*.

Batocera Deyrollei Kaup (from Sylhet) and *pulchellator* Westw. (from the Philippine islands) of the Munich Catalogue do not belong to this genus. The former is an *Apriona*, the latter a *Psaromaiia*-species.

- Bruyni* Lansb. — Saughir islands. — Ann. Soc. Ent. Belge. 1880. Bull. p. 138.
- Calanus* Parry. — Assam not = *Roylei* Hope, but a distinct species (*vide* Notes Leyden Museum. 1886. p. 29).
(*Catenata* (de Haan) Voll. — Japan) = *Lineolata* Chevr. — Japan.
- Celebiana* Thoms. — North Celebes.
- Chevolati* Thoms. — E. India.
(*Chinensis* Thoms. — China) = *Lineolata* Chevr. — Japan.
(*Chlorinda* Thoms. — E. India) = *Rubus* Linn. var. (teste van Lansberge).
- Cinnamomea* Pasc. — Sula probably = *Armata* Oliv.
- Claudia* Pasc.¹⁾ — locality unknown.
(*Cruentata* Gmel. — E. India) = *Rubus* Linn., in the Munich Catalogue.
- Davidis* H. Deyr. — China. — Ann. Soc. Ent. France. 1878. p. 131.
(*Downesi* Hope. — Sylhet) = *Albofasciata* de Geer, in the Munich Catalogue.
- Eurydice* Thoms. — Java. — Revue et Mag. de Zool. 1878. p. 53.
- (*Fabricii* Thoms. — Java. — Revue et Mag. de Zool. 1878. p. 54) = (*Megacriodes*) *Guttata* Voll. — Sumatra.
- (*Ferruginea* Thoms. — Ceylon) = *Titana* Thoms. — E. India (teste van Lansberge).
- Frenchi* v. d. Poll. — Australia. — Notes Leyden Museum. 1886. p. 30; pl. 1, fig. 4.
- Gerstaeckeri* Thoms. — Sula.
- Gigas* Drap. — Java, Borneo.
- Guttata* Voll. — Sumatra, Java. — (Described as a species of the genus *Megacriodes* Pasc.).
- Hector* Thoms. — Java.
- Helena* Thoms. — Siam, Sumatra.
- Hercules* Boisd. — Celebes.

1) Only occasionally mentioned by the author.

- Horsfieldi* Hope. — Assam.
- Humeridens* Thoms. — Timor (not Java, teste van Lansberge).
- Irregularis* Voll. — Celebes, Sanghir islands. — (Belongs to the genus *Abatocera* Thoms.).
- (*Javanica* Thoms. — Java) = *Titana* Thoms., var. with inconspicuous red spots on the thorax (teste van Lansberge, who possesses the type specimen).
- (*Lacordairei* Thoms. — E. I. Archipelago) = *Armata* Oliv. ♀ (teste van Lausberge).
- Lactiflua* Fairm. — New Britain. — Ann. Soc. Ent. Belge. XXVII (2). p. 50.
- Laena* Thoms. — Aru islands, New Guinea.
- Leonina* Thoms. — Celebes, Sanghir islands. — (Type of the genus *Abatocera* Thoms.).
- Lineolata* Chevr. — Japan, China.
- (*Magica* Thoms. — Java) = *Albofasciata* de Geer, var. without the red spots on the thorax (teste van Lausberge, who possesses the type specimen).
- Meleager* Pasc. — Bouru.
- Metallescens* Pasc. — South Celebes probably variety of *Celebiana* Thoms.
- Mniszechi* Thoms. — Philippine islands.
- Nebulosa* Bates. — Duke-of-York island. — Proc. Zool. Soc. Lond. 1877. p. 158. tab. 24, fig. 1.
- Numitor* Newm. — Philippine islands.
- Obliqua* Voll. — Bouru, Boano.
- (*Octomaculata* Fabr. — E. India) = *Albofasciata* de Geer.
- (*Orcus* Pasc. — Ceram) = *Armata* Oliv. var. ♂ (teste van Lausberge).
- (*Orpheus* Pasc. — Morty) = *Plutonica* Thoms. — Morty.
- (*Parryi* Hope. — Sylhet) = *Roylei* Hope, in the Munich Catalogue
- Plutonica* Thoms. — Morty.
- (*Porus* Parry. — Assam) = *Roylei* Hope (*vide* Notes Leyden Museum. 1886. p. 30).
- (*Princeps* Redtenb. — Himalaya) = *Roylei* Hope, in the Munich Catalogue.

- (*Proserpina* Thoms. — New Guinea) = *Wallacei* Thoms. var.
 (*Pulverosa* Pasc. — Timor) = *Humeridens* Thoms. (teste van Lansberge, who possesses the type specimen of the latter).
- Rixator* Newm. — Philippine islands will probably prove to belong to the genus *Apriona* Chevr.
- Rosenbergi* Kaup. — Flores.
- Roylei* Hope. — E. India. (= *Megacriodes ebenina* Voll.).
 (*Rubiginosa* Voet. — E. India) = *Rubus* Linn., in the Munich Catalogue.
- Rubus* Linn. — Mauritius, Bourbon, Reunion, E. India.
 (*Rubus* Fabr. — Timor) = *Wieneckeï* Kaup — Timor, in the Munich Catalogue (*forte*).
- (*Rufomaculata* de Geer. — E. India) = *Rubus* Linn., in the Munich Catalogue.
- Sabina* Thoms. — Borneo, Sumatra. — Revue et Mag. de Zool. 1878. p. 52.
- (*Sappho* Thoms. — Cape York. — Revue et Mag. de Zool. 1878. p. 51) = *Laena* Thoms. var.
- (*Sarawakensis* Thoms. — Borneo) = *Albofasciata* de Geer, var.
 (*Stigma* Voet. — Tranquebar) = *Albofasciata* de Geer, in the Munich Catalogue.
- (*Thomae* Voet. — Asia orient.) = *Armata* Oliv.
- Thomsoni* Javet. — Borneo, Banka, Sumatra, Riouw.
- (*Thysbe* Thoms. — Cochinchina. — Revue et Mag. de Zool. 1878. p. 52) = *Rubus* Linn. var. (teste van Lansberge).
- Titana* Thoms. — E. India, Ceylon, Sumatra, Java.
- Una* White. — New Hebrides.
- Victoriana* Thoms. — Borneo.
- Wallacei* Thoms. — Aru islands.
- (*Whitei* Kaup. — Celebes) = *Armata* Oliv., but neither = *Leonina* Thoms. (Munich Catalogue), nor = *Ajax* (Dej.) Thoms. (Tijdschr. v. Entom. XXVIII. p. 103).
- Wieneckeï* Kaup. — Timor.
- (*Woodlarkiana* Montrouz. — Woodlark) = *Boisduvali* Hope — Australia, in the Munich Catalogue.
- Wyliei* Chevr. — Old Calabar, Gaboon, Congo.